

# Declaration of performance

STEELGUARD™ 751 AND STEELGUARD™ 851 - No. DOP751/851

1. Unique identification code of the product-type:	STEELGUARD 751 and STEELGUARD 851
2. Intended use:	Solvent borne reactive coating for protection of load bearing steel elements
3. Manufacturer:	PPG Coatings Europe BV, Oceanenweg 2, 1047BB, Amsterdam, The Netherlands
4. Authorised Representative:	Not Applicable
5. System/s of AVCP:	System 1
6a. Harmonised Standard:	Not Applicable
Notified Body/ies:	
6b. European Assessment Document:	
European Technical Assessment:	ETA 15/0439
Technical Assessment Body:	UL International (UK) Ltd - NB 0843
Notified Body/ies:	UL International (UK) Ltd - NB 0843



**PPG Protective &  
Marine Coatings**

Bringing innovation to the surface.™

# Declaration of performance

STEELGUARD™ 751 AND STEELGUARD™ 851 - No. DOP751/851

7. Declared Performance/s:	Essential Characteristics	Performance	Harmonized Technical Specifications
	Safety in case of fire		
	Resistance to fire	I/H section beam and columns R15, R30, R45, R60, R75, R90, R105, R120 – All including slow heating	EN13501-1:2007 + A1:2009
		Circular and rectangle/square hollow section columns, rectangle/square hollow section beams R15, R30, R45, R60, R75, R90, R105, R120	EN13501-1:2007 + A1:2009
	Hygiene, health and environment		
	Release of dangerous substances	The product specification has been compared with the dangerous substances listed on the database established on the EC construction website with the list of regulated dangerous substances possible associated with construction products with Annex XVII and Annex XV1 of REACH and with the ECHA candidate list of substances of very high concern to verify that the products does not contain such substances at greater than the tolerated maximum concentration values	ETAG 018-2 Progress file document November 2011
	Related aspects of serviceability		
Primer/topcoat compatibility	Passed exposure conditions X, Y, Z <sub>1</sub> , Z <sub>2</sub>	ETAG 018-2 progress file document November 2011	
8. Appropriate Technical Documentation and/or Specific Technical Documentation:	ETAG 018-1 Type 4		



**PPG Protective & Marine Coatings**

Bringing innovation to the surface.™

# Declaration of performance

STEELGUARD™ 751 AND STEELGUARD™ 851 - No. DOP751/851

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

 0843	 0843
PPG Coatings Europe BV, Oceanenweg 2, 1047 BB Amsterdam, The Netherlands  PPG Coatings SPRL / BVBA Tweemontstraat 104 BE-2100 Deurne Antwerp Belgium  15 0843-CPR-0264	PPG Coatings Europe BV, Oceanenweg 2, 1047 BB Amsterdam, The Netherlands  PPG Coatings SPRL / BVBA Tweemontstraat 104 BE-2100 Deurne Antwerp Belgium  15 0843-CPR-0264
ETA No 15/0439 ETAG 18, Parts 1 and 2 STEELGUARD 751 See ETA for relevant characteristics	ETA No 15/0439 ETAG 18, Parts 1 and 2 STEELGUARD 851 See ETA for relevant characteristics

**PPG Deurne Factory**

**PPG Deurne Factory**

**Signed for and on behalf of the manufacturer by:**

Name:

**Martin Wiese**


Function:

**Platform Director Protective Coatings EMEA**

Place and date of issue:

**Amsterdam, 3rd September 2015**

Signature:



**Signed for and on behalf of the manufacturer by:**

Name:

**Kees van Vliet**

Function:

**PMC Global R&D Manager Cellulosic PFP**

Place and date of issue:

**Amsterdam, 3rd September 2015**

Signature:

